

About Us

Having built prestigious swimming Pools for over 20 years for the family swimming pool installation business, Howard, the Managing Director of Cranbourne Stone, recognised the demand for a better quality pool surround. Understanding the complexity of swimming pool installation, in 2004 Howard and his wife Jo, decided to form Cranbourne Stone Ltd and started to supply White & Buff Pre-cast copings to swimming pool installers nationwide.

Over the years, the demand for Natural Stone increased, so they decided to source suppliers, world-wide, for suitable stone for swimming pool surrounds. The company now imports from over 10 countries world-wide and is always searching for new stone, to keep up with the ever changing trends.

After years of cutting & shaping Natural Stone with basic bridge saws and hand tools, the decision was made to invest in a CNC 5 axis bridge saw machine, which has had an overwhelming effect on the business and has allowed the company to enhance the company portfolio tenfold, including the selections of Deck Level Grilles and Stone Wall Art, which can be seen at the Showroom & Display Area at the working yard in the beautiful Hampshire Countryside

The Cranbourne Team produce and stock the largest range of Pre-cast & Natural Stone Swimming Pool surrounds in the UK. Cranbourne understand that no project is the same. The desire for individuality is the key to the business. Working with Pool Installers, Architects and Landscapers etc., the company provide an on-site template service and are able to work from customers' templates or emailed CAD drawings.

The relationship with their customers is of the highest importance to Howard & Jo. Being a growing family business, the quality, price and service provided is always their highest priority. After 10 years of trading, Howard & Jo are overwhelmed with the continued support of their loyal customers and look forward to another 10 years of expanding and designing new products.

Ethical Trading

Cranbourne Stone Ltd are proud supporters of the Ethical Trading Initiative, ensuring that all products are produced in the most suitable working environment possible.

The Ethical Trading Initiative (ETI) is an alliance of companies, non-governmental organisations (NGOs) and trade union organisations promoting ethical consumerism. They exist to promote and improve the implementation of corporate codes of practise, which cover supply chain working conditions. Their ultimate goal is to ensure that the working conditions of employees producing for the UK market meet or exceed international labour standards.

Underpinning all their work is the ETI Base Code. The Base Code contains nine clauses which reflect the most relevant international standards with respect to labour practices.

We at Cranbourne Stone Ltd feel that everyone has the right to a fair and ethical working environment. It is because of this that all of our products are only sourced from suppliers who support and adhere to the Ethical Trading Initiative and support the Base Code

Compliments

In producing this brochure, we would like to thank our customers who kindly provided us with photos of their projects using our stone.

Peter Fenton Swimming Pools

Carl Vernon Swimming Pools

London Swimming Pool Company Ltd

Aquascapes Swimming Pools Ltd

Cresta Leisure

Ivor Smith General Builders

Origin Leisure Group Ltd

Pure Pools

Bell Leisure

Cornwall Pools

Town Court Homes

Albatross Pools

Harlequin Swimming Pools



Contents

Deck Level Grilles	3-4	Marble
Natural Riven Sandstone		Pembury 3
Cotswold Mint Sandstone	5-6	Granite / Basalt
Raj Riven	7-8	Fullerton Grey 3
Tumbled Riven Sandstone		Montreal 3s
Georgian Grey	9-10	Chattis Black 4:
Textured Sandstone		Pre-Cast 43
Danebury Sandstone	11-12	Pre-cast Dimensions 4
Timsbury Sandstone	13-14	
York Stone	15-16	Roman End Bays & Corner Dimensions 4
TOTA Stolle		Bespoke Masonry 49
Travertine		Stone Wall Art 5
Travertine Honed & Filled	17-18	Stone Wall Cladding 53
Travertine Tumbled & Unfilled 19-20		Bespoke works 55
Limestone		Pack Types 50
Provence Limestone	21-22	Laying Guides 5
Fossil Pearl	23-24	Conditions of Sale 6
Winchester Limestone	25-26	
Crema Europa	27-28	
Crema Almera	29-30	
Broughton	31-32	
Downton	33-34	

35-36

37-38 39-40 41-42 43-48

49-50 51-52 53-54 55 56 57-58 61-62

Deck Level Grilles

Working to SPATA Standards, we have designed and created 4 types of Natural Stone Deck Level Grilles. All made in-house, using our state of the art CNC 5 axis bridge saw, we can produce these to match many of the surrounding tiles from our Natural Stone ranges.

The Grilles can be made as a 3 piece module, including Coping Stone & Backing Stone or, separately for refurbishment projects.

These are also available in reinforced tiles for air vents and patio drainage.



Contemporary Grille







2 No. Slot Grille









Cotswold Mint Sandstone

Our Cotswold Mint Riven Sandstone has been hand selected and calibrated to ensure only the best quality mint and light buff tones are chosen to create a wonderfully rustic and yet uplifting landscape.



Paving:

600 Series Mixed Patio Pack 16.74m² coverage per pack 22mm thick – calibrated See page 56 for laying pattern

Step Treads:

600 x 450 x40mm with a bullnose

Swimming Pool Copings: with full bullnose

600 x 225 x 40mm

90° Square Corners & 6" Radius Internal Corners, 4ft & 5ft Roman Ends are stock items.



Free-form shape Copings and Bespoke stone work is made to measure in-house.



Natural stone varies in both colour and texture. Sandstone in particular will not be consistent in colour. The appearance of the stone will change when wet, enhancing the natural tones within the stone.





Raj Riven

This very popular riven sandstone, contains subtle olive tones enhanced with a blend of warm browns and greys. It is the perfect, more affordable alternative to English York Stone. Ideal for any outdoor landscaping projects.



Paving:

600 series Mixed Patio Packs 16.74m ² coverage per pack 22mm thick calibrated See page 56 for pack sizes

Large Steps:

600 x 450 x40mm

Swimming Pool Copings:

600 x 300 x40mm with full bullnose





Free-form shaped Copings and bespoke stone work is made to measure in-house.







Georgian Antiqued

This tumbled and antiqued grey sandstone is a wonderfully rustic style stone, ideal for more traditional landscapes.





Paving: Riven (Not tumbled)

600 series mixed patio packs 20.07m² coverage per pack Thickness 22mm calibrated

Step Treads:

600 x 450 x 40mm with bullnose edge

Swimming Pool Copings:

600 x 300 x 40mm with full bullnose

90° Square & 6" Radius Internal Corners, standard 4ft & 5ft Roman Ends are stock items.

Bespoke:

Free-form Pool Copings and bespoke stone work are made to measure in-house.





Danebury Sandstone

This sand swept sandstone, with a combination of mint and buff tones, has a textured slip-resistant finish. Ideal for any landscaping project.



Paving:

Heritage Mixed Pack Paving 16.08m² coverage per pack 25mm thick - calibrated See page 56 for laying pattern

Step Treads:

600 x 450 x40mm

Swimming Pool Copings:

600 x 300 x 40mm with full bullnose

90° Square & 6" Radius Internal Corners, standard 4ft & 5ft Roman Ends are stock items.



Free-form shaped pool copings & bespoke stone work is made to measure in-house.



Natural stone varies in both colour and texture. Sandstone in particular will not be consistent in colour. The appearance of the stone will change when wet, enhancing the natural tones within the stone.





Timsbury Sandstone

This sand swept sandstone has warm buff tones similar to a buff York Stone. Its slip-resistant surface makes it the perfect solution for any swimming pool surround or landscape project.





Paving:

Heritage Mixed Pack 16.08m² coverage per pack 25mm thick calibrated See page 56 for laying patterns

Steps:

600 x 450 x40mm with full bullnose

Swimming Pool Copings:

600 x 300 x 40mm with full bullnose

90° Square & 6" Radius Internal Corners, standard 4ft & 5ft Roman Ends are stock items.

Bespoke:

Free-form shaped copings and bespoke stone work is made to measure in-house.





York Stone

Our York Stone, direct from the Yorkshire Quarries is of the highest quality. Available in both Sawn & Natural Riven finish, this is without doubt one of the most classic Natural stones from the UK.



Paving:

Set widths of 400/500/600 x Random Lengths x 50-75mm thick with riven finish

Set widths of 400/500/600 x Random Lengths x 50mm thick with sawn finish

Step Treads:

600 x 450 x50mm with full bullnose– sawn only

Swimming Pool Copings:

600 x 300 x 50mm with full bullnose – sawn only

90° Square Corners & 6" Radius Internal Corners are Stock items.

Bespoke:

Free-form shape copings and Bespoke stone work is made to order in-house.



Sawn York Copings with Re-claimed York Paving



Travertine Honed & Filled

Our Honed & Filled Travertine has soft beige tones and is full of natural character. The sawn edge and honed surface helps create the ultimate contemporary look. Perfect for any Internal Project.





Tiles:

610 x 406 x 12mm 406 x 406 x 12mm

Step Treads:

610 x 406 x 30mm

Swimming Pool Copings:

610 x 406 x 12mm with pencil edge

610 x 305 x 30mm with full bullnose


610 x 305 x 40mm with full bullnose

90° Square & 6" Radius Internal Corners, standard 4ft & 5ft Roman Ends are stock items

Bespoke:

Free-form shaped pool copings & Bespoke stone products are made to measure in-house





Travertine Tumbled & Unfilled

Our light cream Tumbled & Unfilled Travertine, is full of natural character and texture, creating a wonderful rustic look to any indoor or outdoor project.



Tiles:

610 x 406 x 12mm Opus (mixed) pattern x 12mm Other sizes available on request.

Paving:

610 x 406 x 30mm Other sizes available on request.

Steps:

610 x 406 x 30mm

Swimming Pool Copings:

610 x 305 x 12mm with pencil edge

610 x 305 x 30mm with full bullnose

90° Square & 6" Radius Internal Corners, standard 4ft & 5ft Roman Ends are stock items



Free-form shape pool copings and bespoke stone work made to measure in-house.







Provence Limestone

This warm golden/oat toned Limestone has been sand swept, tumbled & brushed for a wonderful French look. Perfect for both indoor and outdoor project.



Tiles / Paving:

500 x Random length x 22mm (450, 550, 650, 750 & 850 Lengths)

Large Steps:

900 x 600 x50mm

Swimming Pool Copings:

500 x 250 x 22mm with pencil edge

900 x 400 x 50mm with full bullnose

90° Square & 6" Radius Internal Corners, standard 4ft & 5ft Roman Ends are stock items.



Free-form shaped Pool Copings and bespoke stone work made to measure in-house.







Fossil Pearl Limestone

This very dense Limestone with its beige/grey tones and wonderful fossil markings is a truly stylish Limestone for both indoor and outdoor projects. Available in both Tumbled and Sandblasted finish.



Tiles:

600x400x18mm 50 & 60 x random x15mm Other tiles sizes available on request

Paving:

600 x 400 x 19mm 900 x 600 x 30mm

Step Treads:

600 x 400 x 40mm

Swimming Pool Copings:

600 x 400 x 19mm with pencil edge


600 x 300 x 40mm with full bullnose

90° Square & 6" Internal Radius Corners, standard 4ft & 5ft Roman Ends are stock items.



Free-form shaped Pool Copings & Bespoke stone work is made to measure in-house







Winchester Limestone

This textured Black Limestone has been hand finished to create a wonderfully superior product for the more prestigious indoor or outdoor projects. Its tumbled edges and textured surface creates a vintage and luxurious look.



Paving / Tiles - tumbled:

500 x random lengths x 20mm (450, 550, 650, 750 and 850 lengths)

Large Steps:

600 x 450 x 30mm

Swimming Pool Copings:

600 x 300 x 30mm with full bullnose





Bespoke:

Free-form pool copings and bespoke stone work are made to measure inhouse.





Crema Europa Limestone

This wonderful Limestone with its cream/beige tones and stunning waves of sweeping beige markings is a truly stylish Limestone for both indoor and outdoor projects. Available in Honed & Sandblasted finishes.





Tiles:

600 x 400 x 20mm 600 x 600 x 20mm Other sizes available to order

Large Steps:

600 x 450 x 40mm

Swimming Pool Copings:

600 x 400 x 20mm with pencil edge

600 x 300 x 40mm or 30mm with full bullnose

90° Square & 6" Radius Internal Corners, Standard 4ft & 5ft Roman ends are stock Items.

Bespoke:

Free-form copings and bespoke stone works are made to order inhouse.





Crema Almera Limestone

This wonderfully clean Limestone is perfect for any modern contemporary project. Available in Honed or Sandblast finish, it is suitable for both indoor and outdoor applications.



Tiles:

600 x 400 x 15mm 600 x 400 x 20mm 600 x 600 x 20mm Other sizes available to order

Step Treads:

600 x 450 x 40mm

Swimming Pool Copings:

600 x 400 x 20mm with pencil edge

600 x 300 x 40mm or 30mm with full bullnose

90° Square & 6" Radius Internal Corners, Standard 4ft & 5ft Roman Ends are stock Items.



Free-form copings and bespoke stone work are made to order in-house.







Broughton Limestone

This very dense Limestone with its blue/grey sandblasted finish is a truly stylish Limestone for modern indoor & outdoor projects.





Paving: - sandblasted

200 x 200 x 20mm 400 x 400 x 20mm 500 x 500 x 25mm 600 x 600 x 25mm

Steps Treads:

1000 x 300 x 50mm Square edged

Swimming Pool Copings:

With a full bullnose


600 x 300 x 25mm 1000 x 300 x 50mm

90° Square & 6" Radius Internal corners are stock items.



Free form copings and bespoke stone work, are made to measure in-house.







Downton Limestone

With its olive/grey and buff tones and it gently undulating surface, the Downton has a wonderfully understated and rustic, traditional look. This can be used for both indoor and outdoor projects.





Paving / Tiles - tumbled:

600 series mixed patio packs 18.9m² coverage Thickness 22mm calibrated

Swimming Pool Copings:

600 x 300 x 30mm with full bullnose

Bespoke:

Free-form pool copings and bespoke stone work made to measure in-house.





Pembury Marble

This beautiful white / grey marble, with its sawn edges and soft sandblasted textured surface, is both stylish and modern. Perfect for any indoor or outdoor project.



Paving / Tiles:

600 x 600 x 30mm Other tiles sizes available on request

Swimming Pool Copings:

600 x 300 x 30mm with full bullnose

600 x 300 x 30/50mm with over-lip

90° Square & 6" Internal Radius Internal Corners, standard 4ft & 5ft Roman Ends are stock items



Free-form pool copings & bespoke stone work are made to measure inhouse.







Fullerton Grey Granite

This flamed Grey Granite, with it straight sawn edges is a wonderful slip-resistant option for both indoor and outdoor modern projects.



Paving:

600 x 400 x 30mm 600 x 600 x 30mm Other tiles sizes available on request

Steps:

600 x 400 x 30mm With bullnose edge

Swimming Pool Copings:

600 x 300 x 30mm with a full bullnosed edge

600 x 300 x 30/50mm with an over-lip

90° Square & 6" Radius Internal Corners, standard 4ft & 5ft Roman ends are stock items.


Bespoke:

Free-form shaped copings & bespoke stone work is made to measure in-house.



Wet Fullerton Paving with Chattis Coping.





Montreal Granite

Our Montreal Grey Granite is flamed & brushed, with natural white veining glimmers in the sunlight. The Linear planking with its long white veins, together with the Pool Coping, that has cross cut veining, is perfect for any modern and unique Pool surround or Landscape project.



Paving:

850 x 200 x 30mm

Swimming Pool Copings:


600 x 300 x 30-50mm With over-lip


90° Square & 6" Radius Internal Corners, standard 4ft & 5ft Roman ends are stock items.



Free form copings and bespoke stonework made to measure inhouse.







Chattis Black Basalt

This stunning black basalt, with its flamed finish is the ideal stone for modern Swimming Pool surrounds and terraces.





Paving:

400 x 400 x 20mm 600 x 600 x 20mm 600 x 400 x 30mm 600 x 600 x 30mm 900 x 600 x 30mm

Steps:

1000 x 300 x 30mm with square edges

Swimming Pool Copings:

600 x 300 x 30mm with a full flamed bullnose

600 x 300 x 30-50mm with over-lip & with polished edge.

90° Square & 6" Radius Internal Corners, Standard 4ft & 5ft Roman ends are stock items.

Bespoke:

Free-form copings and bespoke stone work made to measure inhouse.






Pre-Cast Pool Copings

After sourcing the best quality aggregates, we produce in-house our own range of Pre-cast Pool Copings. Available in White or Buff.



9" Flat Top Straight



9" Flat Top 5ft Radius



9" Flat Top 6" Radius Corners

Sloping Copings:

12" Sloping Smooth

9" Sloping Smooth

Flat Top Copings

12" Flat Top

9" Flat Top

9" Channel Cover Track Coping

6" Flat Top

90° Square Corners

6" Radius Corners

4ft & 5ft Standard Roman Ends

5ft Low profile Roman Ends

White Copings – Stock Item

Buff Copings – are made to order

Please see price list for full list.



9" Channel Cover Track Coping




12" Sloping 90° Int. Corner



12" Sloping Buff Straight Coping




PRE CAST POOL COPING DIMENSIONS





ROMAN END BAYS AND CORNERS





Bespoke Masonry

With every project being unique and individual, we understand the necessity of being able to commission bespoke one-off stone products for any application.

Combining 20 years of experience in swimming Pool installations, a team of skilled stone masons and state of the art computerised CNC Saws, the possibilities are endless!



Our Deck Level Grilles are made in-house, using our CNC Bridge Saw to create the most luxurious finish to any level deck pool project.



Free-form shaped Pool Copings are made inhouse to measure, from either templates or CAD Drawings.



Pit-lid & Skimmer Lids made to cover white plastic lids, to match pool surround paving.



Bespoke Window Cills made to Architects drawings









Stone Wall Art

Designed, commissioned & created in-house for those who desire individuality!







PEACE

DUNE

OCEANIA



Stone Wall Claddings

Simply stylish!







MAXIMO SOFIA LORENNA

Stone Wall Claddings

Simply unique!







BERNARDO VIVIANO KIMMI

Our in-house bespoke works

Our in-house CNC 5 axis bridge saw allows us to cut and shape stone without limitations. Working from CAD Drawings and templates, we are able to upload drawings and create outstanding pieces of bespoke stone products.



Drawing on CAD-Cam Design...



Making a cutting path on the CAD-Cam....



Let the cutting commence....



Cutting radii to precision.....



Cutting a rebate...




Stone ready to be packed & sent!


Pack Types

Mixed Paving Pack 600 Series

This pack contains our 4 most popular sizes (as detailed below). The mixed pack is perfectly suitable for all projects whether large or small – always maintaining attractive proportions. The sizes within the packs enable a variety of random patterns. (coverage 16.74m²).



All sizes are nominal we recommend a 10-15mm grout joint



- (A) 900X600X25mm-10pcs(B) 600x600X25mm-20pcs
- (C) 600x300X25mm 10pcs
- (D) 295x295X25mm 20pcs (5 MODULES PER PACK)

All sizes are nominal. We recommend a 10-15mm grout joint.

Heritage Mixed Pack


To compliment our Danebury and Timsbury natural stone copings, we have developed the Heritage mixed paving pack, which provides an easy to lay, attractive repeating modular pattern in one convenient pack. Each 16.08m² Heritage mixed pack (coverage 16.92m²) has 5 modules per pack.

Laying Guidelines

Laying Pattern Suggestions

The mixed size crate can be utilised to give several laying patterns, an example is shown to the right.

In this section we are outlining the principle considerations for laying natural paving. However each project will have its own individual considerations and the advice of a professional should always be sought.



Preparation

Decide where the paving is to be laid and mark or peg out clearly. Dig out a little wider than the planned project width, allowing an extra 50mm - 75mm at the edges to make handling much easier. Bear in mind that any paving surfaces should be at least 150mm below any damp proof course and should have a 1:60 fall away from the building for surface drainage. Remember to remove all weeds and other unwanted organic matter.

Sub-base

The depth of the dig and the necessity for a sub-base will depend on the intended use and ground conditions. If a sub-base is required the depth should be approximately 190mm minimum. This will allow for:

- 100mm compacted hardcore or crushed stone with extra care being taken to ensure any soft spots are identified, dug out and filled.
- 25mm 40mm slab depth
- 50mm bed


If a sub-base is not required, dig to 90mm. If elevating to a higher level, then the elevation should be constructed by adding to the sub-base layer not by increasing the thickness of the bedding layer. Driveways will always require a sub-base made up of 100mm 'MOT Type 1' hardcore so the dig will always be 190mm minimum.

Bedding

Depending on preference, the paving may be bedded onto either a full concrete bed (136 or St1 mix), or alternatively a 50mm (compacted depth) bed of sand, gravel and cement (6 parts 5mm - 6mm gravel, 4 parts sharp sand NOT BUILDING SAND and 1 part ordinary Portland cement) - which should be spread to the area and compacted with a couple of passes of a plate compacter prior to bed preparation. The top 15mm - 25mm of the bed should be loosened / rippled to ease levelling as the natural slabs vary in depth.

Laying

Natural stone products have variation in colour so select paving from a number of open packs to ensure an even blend. Where possible start with full flags being laid adjacent to a fixed point such as building or edging. Set the required level using a taut line. Tap each slab down to the appropriate level using a rubber mallet and also use a spirit level to double check levels with the adjacent slabs. It can be helpful to 'butter' the edges of previous slabs - being careful to maintain 10mm - 15mm between the slabs. To butter the previous slabs - trowel mortar onto their edges so that when the next slab is offered up, the mortar compresses and rises up between the slabs to form a joint that can be easily pointed.



Efflorescence

Efflorescence is a natural phenomenon and can occur in all natural paving products. It shows as white patches on the surface of the slabs. The efflorescence may occur each time the paving dries after rain. This may re-occur for up to 18 to 24 months. Efflorescence will cease as the calcium carbonate completely leaves the stone.

Where the work is done!



The Cranbourne Team!



CONDITIONS OF SALE

The following terms and conditions are the terms on which Cranbourne Stone Limited ("the Company") sells goods and/or services and supersede all other terms and conditions used by the Company:

- Orders
- All orders are subject to the approval of the Company which shall have an absolute discretion to accept or decline any order.
- No order which has been accepted by the company may be cancelled by the Purchaser except with the agreement in writing of the Company and on terms that the Purchaser shall indemnify the Company in full against all loss (including loss of profft), costs (including the cost of all labour and materials used), damages, charges and expenses incurred by the Company as a result of cancellation. For the avoidance of doubt any deposit paid by the Purchaser shall be non-returnable in the event of a cancellation.
- All orders are subject to these terms, which shall prevail over any terms proposed by the Purchaser.
- Price
- . The price shall be the quoted price of the Company.
- However, the Company shall be entitled to adjust the price of any goods at the time of delivery of the goods or each instalment of the goods as the case may be:-
- To take account of any direct or indirect price increases sustained by the Company including but not limited to currency fluctuations affecting the cost of imported materials or the cost of raw materials; and/or
- If there is any change in the delivery date, quantities or specifications for the goods requested by the Purchaser or any delay caused by any instructions of the Purchaser or failure of the Purchaser to give the Company adequate information or instructions.
- Part Orders The Company shall not be bound to accept orders for part only of a total quotation.
- Deliver
- Any date for delivery named by the Company is an estimate only and the Company shall not be liable for the
 consequences of any delay. Every effort will be made to deliver in accordance with the dates endorsed on order
 acknowledgements but it is impossible for the Company to guarantee these dates and no claim will be entertained in
 respect of late delivery.
- In the event of the Purchaser failing to collect or refusing to take delivery, the Company shall be at liberty to invoice the purchaser for such goods and failure to settle such invoice within 30 days of the same being rendered shall entitle the Company to dispose of the goods as best it can giving credit to the Purchaser for any proceeds of sale received where after the Purchaser shall remain liable to the Company for any balance owing upon the invoice but the Company shall not be accountable to the Purchaser for any surplus should the amount raised on disposal of such goods exceed invoice value.
- The purchaser shall notify the Company at the time of placing the order if it wishes to arrange collection of the goods itself or arrange the delivery of the goods by an independent carrier to the premises specified by the Purchaser on its order.
- If the Purchaser arranges collection of the goods, delivery of the goods shall take place at the Company's works on the Purchaser or its agent being permitted to take possession of the goods. If the Company arranges delivery of the goods, delivery shall take place at the entrance to the premises specified by the Purchaser on its order.
- Transport
- · Where the Company arranges transport of the goods by road, the following terms shall apply:
- · Delivery shall only be required to be made to a hard standing deemed suitable by the lorry driver.
- Prompt assistance shall be given by the Purchaser to the lorry driver in unloading goods, failing which the Company
 make reasonable charge for excessive delay in waiting time. Where goods are undelivered due to no one being
 present on site to accept delivery, a re-delivery charge of £75 will apply.
- Prices charged include a charge for loading of motor vehicles at the Company's works and a separate charge will be
 made to the premises specified, but the responsibility and cost of unloading shall be borne by the Purchaser.
- Where the Purchaser arranges collection of the goods from the Company, the Company shall notify the Purchaser when the goods are ready for collection, but shall not be responsible for any delay in transporting the goods after they have been despatched from the Company's works or for any damage occurring to the goods in transport
- · Samples and Images

In submitting any sample or image of the goods to the Purchaser, the Company warrants only to give a general indication of the quality, colour, texture and/or type thereof and does not in so doing constitute any subsequent sale by sample.

The Purchaser acknowledges and accepts that the Goods are made from a natural resource and variations in colour, shading, markings, texture, and size between consignments, will occur.

Risk and Property

Subject to Condition 17, risk and property shall pass to the Purchaser:

- When collected by or on behalf of the Purchaser from the Company's works, on delivery to the Purchaser or its agent to take possession of the goods.
- When delivered by road by or on behalf of the Company to premises specified by the Purchaser, on delivery to the entrance of those premises.
- Until the date of payment, the Purchaser is, if the Company so desires, to store this material in such a way that it is clearly the property of the Company. The Company and Purchaser agree that, if the Purchaser should make (a) new object(s) from the material or mix this material with (an) other object(s) or if this material in anyway whatsoever becomes a constituent of (an) other object(s) then this will be used as surely for the full payment of what the Purchaser owes the Company. To this end the Company and Purchaser now agree that the ownership of the article(s) in question, whether finished or not, are to be transferred to the Company and that this transfer of ownership will be considered to have taken place through and at the moment of the single operation or event by which the material is converted into (a) new object(s) or is mixed with or becomes a constituent of (an) other object(s). Until the moment of full payment of what the Purchaser owes the Company, the Purchaser shall keep the object(s) in guestion for the Company in his capacity of fiduciary owner and, if required, shall store this (these) object(s) in such a way that it (they) can be recognised as such. Nevertheless, the Purchaser will be entitled to sell these objects to a third party within the framework of the normal carrying on of his business and to deliver them on condition that, if the Company so requires, the Purchaser, as long as he has not fully discharged his debt to the Company, shall hand over to the Company the claims that he has against his buyer emanding from this transaction.
- Packing Charges

In case of special orders, the Purchaser will be notified in writing when supplementary packing charges are applicable and the Purchaser shall have the right within seven days of any such notification to make its own arrangements for the collection of the goods, in which case the Purchaser will be solely responsible for the packing and loading of the goods.

- Inspection
- Any signs of damage must be noted on the delivery note at time of delivery and notice of such be given immediately
 to the Company office and in any event within 24 hours.
- Quantity, type, shape, and size of the goods must be checked by the Purchaser or its agent at the earliest opportunity
 after delivery.
- · All goods must have wrapping removed within 24 hours of delivery.
- Any objections to the goods on the grounds of incorrect quantity, type, shape or size must be notified to the Company before the goods are used or incorporated in any structure and in any event within 24 hours of delivery.
- The Company reserves the right not to accept responsibility for any delivery which has been made and which is incorrect by reason of incorrect quantity, type, shape or size.
- No guarantee can be given against naturally occurring variations, slight surface crazing or the phenomenon of
 efflorescence which may cause a temporary lightening to the colour of the stone.
- The Purchaser shall not be entitled to reject the goods where the alleged defect or breach of contract is so slight that it would be unreasonable for the Purchaser to reject the goods.
- Where any valid claim in respect of the goods is made by the Purchaser the Company shall be entitled to replace or repair the goods (or the part in question) free of charge or, at the Company's sole discretion, refund to the Purchaser the price (or a proportionate part of the price).
- In the event of any claim being made by the Purchaser, the Purchaser shall give the Company a reasonable opportunity to inspect the goods in the same condition as they were at delivery after discovery of the dect and liability will not be accepted unless this procedure is followed. For the avoidance of doubt, where the alleged defect is one which would have been apparent on reasonable inspection of the goods, liability for such defect will not be accepted where the Purchaser has used, cut, worked on or processed the goods in any way.
- · Fitness for Purpose

The Company makes no warranty as to the fitness of the goods for any particular purpose even if that purpose is stated in the Purchaser's order. This exclusion includes recommendations or advice from the Company to the Purchaser relating to a specific enquiry. The Purchaser must satisfy itself as to the fitness for the purpose for which the goods are intended. The Company will not be liable if the goods are not fit for the purpose required unless the Purchaser states the purpose in writing and the Company specifically confirms in writing that the goods are fit for such a purpose. In any event, where the Company garanges for the production of custom goods to the Purchaser's specification, no liability is accepted for the fitness of the goods for any particular purpose.

Returns

The Company may at its discretion accept the return of goods provided that the goods are:

- . Undamaged, unused, uncut or in any other way unworked; and
- Returned at the Purchaser's expense within 3 days of delivery.

No goods may be returned for Credit except by special arrangements with the Company and any attempt to do so will be entirely at the Purchaser's risk. Where the Company accepts the returned goods it shall at its option either give credit or refund the price to the Purchaser in each case less a 20% re-stocking charge.

Payment

Credit accounts may be opened, subject to satisfactory credit references being obtained, in our sole discretion. Payment for goods supplied on a credit account shall be due and payable not later than 30 days from the date of invoice. Payment for Natural Stone orders is required prior to dispatch. Bespoke and/or large orders will require a 50% deposit to confirm order. The Company reserves the right to stop further supplies if these terms of payment are not observed and to charge interest on all overdue accounts at a rate equal to 5% above the minimum lending rate of the Company's bankers.

· Supply of Plans to the Company

Where the Purchaser submits plans and specifications for the goods to the Company, quotations are made in accordance with such plans and specifications. The Company shall not be under any obligation to check or verify the accuracy or adequacy of any such plans or specifications. The Purchaser guarantees the accuracy of all dimensions contained in such plans and specifications and shall indemnify the Company against loss arising directly or indirectly from any error, inaccuracy, omission or other fault on the part of the Purchaser or person, firm or company responsible for the preparation of such plans and specifications.

Preparation of Drawings by the Company

Where the Purchaser supplies such plans and specifications the Company may prepare shop drawings for the goods and shall, within the time (if any) specified in the job schedule (if any)submit such drawings to the Purchaser for procurement of the written and signed approval thereof from the architect and/or general contractor of the project. He, the Purchaser, shall within such time as may be specified, return to the Company the said drawings containing such approval as aforesaid and the Company shall have no responsibility for or with respect to the adequacy of such drawings after they have been approved as aforesaid.

Indemnity

Notwithstanding any other provision herein, the Purchaser shall indemnify and reimburse the Company for any losses incurred by the Company as a result of any delay in any delivery schedule agreed upon by the parties which is caused by any delay in furnishing to the Company of such drawings as aforesain.

· Purchaser's Failure to take Delivery

If the Purchaser fails to take delivery of the goods in accordance with the delivery schedule (if any) agreed upon by the Company and the Purchaser and such goods are ready for delivery to the Purchaser and the Purchaser's failure to take delivery is not excused under section 3, all risks of loss of, damage to and deterioration of such goods shall pass to the Purchaser upon dates of delivery specified in the delivery schedule.

· Responsibility for Design of Structure

The Company shall have no responsibility or liability whatsoever with respect to the adequacy of the design of the structure in which the goods supplied by the Company will be used and the Purchaser will, at the Purchaser's sole expense, defend, hold harmless and indemnify the Company against all liabilities, expenses or damages and claims arising out of any proved or alleged inadequacies.

· Warranties made by the Company

No warranty, express or implied, is made by the Company.

In the case of a consumer sale, these conditions shall have effect only in so far as they are consistent with the consumer's statutory rights.

- · Limitation of Liability
- Save in respect of personal injury or death due to any negligence, the Company shall not be liable to the Purchaser in respect of any loss suffered by the Purchaser due to any defect in the goods.
- Without prejudice to condition 18A and for the avoidance of doubt, the Company shall not be liable to the Purchaser or any third party for any loss of profit, consequential or other economic loss suffered by the Purchaser arising in any way from this Agreement.
- Set Off and Counterclaim

The Purchaser may not withhold payment of any invoice or other amount due to the Company by reason of any right of set off or counterclaim which the Purchaser may have or allege to have for any reason whatsoever.

Force Majeure

The Company shall not be liable for any default due to any circumstance beyond the reasonable control of the Company including, but not limited to, Acts of God, war, civil unrest, riot, strike, shipping delays, lock out, acts of civil or military authorities, fire, flood, earthquake or shortage of supply.

· Customer's Default

This condition applies if:

- The Purchaser makes any voluntary arrangement with its creditors or (being an individual or firm) becomes bankrupt
 or (being a company) becomes subject to an administration order or goes into liquidation (otherwise than for the
 purposes of amaleamation or reconstruction): or
- · An encumbrancer takes possession or a receiver is appointed, of any of the property or assets of the Purchaser; or
- . The Purchaser ceases, or threatens to cease, to carry on business; or
- The Company reasonably apprehends that any of the events mentioned above is about to occur in relation to the Purchaser and notifies the Purchaser accordingly; or
- The Purchaser fails to pay the price or any additional charges or any part thereof in accordance with condition 2. Where this condition applies then, without prejudice to any other right or remedy available to the Company, the Company shall be entitled to cancel the contract and all other contracts which may exist between the Company and the Purchaser and suspend any further deliveries or performance under the contract and any other contracts without any liability to the Purchaser, and if the goods (or goods subject to any contract which may exist between the parties) have been delivered but not paid for, the price, any additional charges and any other sums payable by the Purchaser shall become immediately due and payable hortwithstanding any previous agreement or arrangement to the contract to the contract.
- General
- If any term or provision of these conditions is held invalid, illegal or unenforceable for any reason by any Court of
 competent jurisdiction, such provision shall be severed and the remainder of the provisions hereofs shall continue in full
 force and effect as if these conditions had been acreed with the invalid. Illegal or unenforceable provision eliminated.
- The Company may without the consent of the Purchaser sub-licence its rights or obligations or any part of these conditions.
- The headings in these conditions are for ease of reference only and shall not affect the interpretation of any of the conditions.
- Contract

Notwithstanding any other provision of this agreement, nothing herein shall confer or is intended to confer a benefit on any third party for the purpose of the Contract (Rights of Third Parties) Act 1999 or for any other purpose.

Entire Agreement

Each of the parties agrees that save in respect of statements made fraudulently it shall have no remedy in respect of any untrue statement upon which it relied in entering this Agreement and that its only remedies shall be for breach of contract

· Governing Law and Jurisdiction

The laws of England and Wales shall govern this Agreement and the parties hereby submit to the exclusive jurisdiction of the courts of England and Wales.



Your local stockist is:

Unit 1 Houghton Down Farm, Stockbridge, Hampshire SO20 6JR
Tel: 01264 810813 Fax: 01264 810814 Email: enquiries@cranbournestone.co.uk

www.cranbournestone.co.uk