

Est 2004

CRANBOURNE

Stone • Porcelain • Mosaics

PORCELAIN COLLECTION 2026

# Contents

4	About Us		
6	<b>EXTERNAL PORCELAIN</b>		
8	Sirmione		
9	Lonato Grey		
10	Rockford Quartz		
11	Carbis Sands		
12	Bruges Beige & Ghent Grey		
13	Loretto Buff		
14	Sorrento		
16	Bolzano		
17	Rialto		
18	Dijon Grey		
19	Dijon Pearl		
20	Compton Grey		
21	Canford Cream		
22	Wilton Beige		
23	Sarum Grey		
24	Namur		
26	<b>INTERNAL &amp; EXTERNAL PORCELAIN</b>		
28	Cadiz Beige		
30	Jurassic		
32	Concrete		
33	Travertine Vein		
35	Travertine Cross		
36	Wychwood		
37	Roach		
38	Quartzite		
40	Dunes		
42	Bavarian		
43	Critchell		
44	Algarve		
45	Esna		
46	Riviera		
47	Elements		
48	Nolton		
49	Alba		
50	Exagnes Ardenas		
52	<b>INTERNAL &amp; DECORATIVE TILES</b>		
54	Morenci		
56	Qin		
57	Selby		
58	Kula Cross Cut		
59	Cristallo		
60	Kos		
61	Lombok		
62	Mochi		
64	Grafton		
66	Geo Bars		
68	Moments Proto		
70	Moments Proto 2		
72	<b>BESPOKE</b>		
74	Bespoke Grille Options		
75	Stair Cases & Steps		
76	Site Template Service		
78	<b>TECHNICAL INFORMATION</b>		
78	Technical Coping Diagrams		
79	Laying Guidelines		
82	Cleaning & Maintenance		
83	Preparation & Fixing		



CRANBOURNE STONE

# Specialists in providing high quality porcelain & ceramic products



Cranbourne Stone began with our Managing Director, Howard, who entered the swimming pool industry at 17 and soon recognised the need for higher-quality pool surrounds. With more than 35 years of experience and with the support of his wife Jo, whose expertise spans decades, Cranbourne Stone Ltd was founded.

Over the past 20 years, we've grown from producing precast concrete copings to offering bespoke cutting, profiling and supplying an extensive range of stone and porcelain sourced from over ten countries.



Now entering our second generation, Cranbourne Stone is being carried forward by our daughter Lonen, supported by our loyal, long-standing team who truly feel like one big family.

With fresh ideas and exciting ventures ahead, we're continually expanding our product offering – not only for swimming pool surrounds but for all types of landscaping and internal projects.

What started as a family venture continues to be driven by craftsmanship, innovation and a shared commitment to exceptional quality.



# Porcelain

Porcelain tiles are made from a mix of natural clay and finely ground sand, which is then pressed and fired at a very high temperature. Each design is baked onto the body of the surface of the tile, to create neutral looking tiles, which are durable, resistant to moss and mould, and easy to keep clean.

PORCELAIN

# Sirmione

A warm beige limestone-look porcelain with soft natural variation and an R11 grip textured finish, creating a timeless, elegant surface ideal for stylish outdoor and poolside spaces.



**RECOMMENDED FOR**

**External**

- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

**OPTION**

- Tiles
- Step Treads
- Coping

**FORMAT**

- R11 Grip Finish
- 900 x 600 x 20mm
- 600 x 600 x 20mm
- 600 x 600 x 20mm Pencil Edge
- 600 x 298 x 20mm Bullnosed Edge
- 600 x 298 x 20/50mm Bonded Over-Lip

**NOTES**

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings. We recommend Mapei grout 132.



Scan for more information

PORCELAIN

# Lonato Grey

A soft grey limestone-look porcelain with gentle natural variation and an R11 grip textured finish, delivering a timeless, elegant surface ideal for stylish outdoor and poolside spaces.



**RECOMMENDED FOR**

**External**

- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

**OPTION**

- Tiles
- Step Treads
- Coping

**FORMAT**

- R11 Grip Finish
- 600 x 600 x 20mm
- 600 x 600 x 20mm Pencil Edge
- 600 x 298 x 20mm Bullnosed Edge
- 600 x 298 x 20/50mm Bonded Over-Lip

**NOTES**

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings. We recommend Mapei grout 112.



Scan for more information

PORCELAIN

# Rockford Quartz

Rockford Quartz Porcelain features soft grey tones with subtle quartzite-style veining, delivering a refined, contemporary look that combines natural elegance with durable, low-maintenance performance.



**RECOMMENDED FOR**

**External**

- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 113.



Scan for more information

PORCELAIN

# Carbis Sands

This cream-beige marble-effect porcelain tile features soft flowing veining and warm natural tones, creating an elegant, stone-inspired finish that's durable, low-maintenance, and ideal for stylish outdoor living spaces.



**RECOMMENDED FOR**

**External**

- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 132.




Scan for more information

PORCELAIN

# Bruges Beige & Ghent Grey

This mottled stone-effect porcelain tile features soft movement and subtle tonal variation for a refined, natural look. Available in **Ghent Grey**, with cool grey hues, and **Bruges Beige**, offering the same pattern in warm biscuit tones—ideal for elegant outdoor and poolside settings.



**RECOMMENDED FOR**

- External**
- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm 600 x 600 x 20mm
Step Treads	600 x 600 x 20mm Pencil Edge
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 113 for Ghent Grey and 188 for Bruges Beige.



Scan for more information

PORCELAIN

# Loretto Buff

This porcelain tile authentically replicates the look of traditional riven York stone, with soft buff tones and gentle surface texture, while offering the durability, consistency, and low maintenance benefits of modern porcelain.



**RECOMMENDED FOR**

- External**
- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 132.



Scan for more information



## PORCELAIN

# Sorrento

This light beige-grey stone-effect porcelain tile captures the character of traditional riven flagstone, with subtle texture and natural variation, while offering the durability, easy care, and low-maintenance benefits of modern porcelain.



### RECOMMENDED FOR

**External**  
 Paving  
 Step Treads  
 Pool Copings  
 Deck Level Grilles  
 Wall Capping  
 Wall Cladding

### OPTION

Tiles

Step Treads

Coping

### FORMAT

R11 Grip Finish  
 900 x 600 x 20mm

900 x 600 x 20mm Pencil Edge

900 x 298 x 20mm Bullnosed Edge

900 x 298 x 20/50mm Bonded Over-Lip

### NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 112.



Scan for more information

PORCELAIN

# Bolzano

This black slate-effect porcelain tile features rich charcoal tones and subtle layered texture, recreating the natural depth of slate while offering a durable, low-maintenance surface ideal for contemporary outdoor spaces.



**RECOMMENDED FOR**

**External**

- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

**OPTION**

- Tiles
- Step Treads
- Coping

**FORMAT**

- R11 Grip Finish  
900 x 600 x 20mm
- 900 x 600 x 20mm Pencil Edge
- 900 x 298 x 20mm Bullnosed Edge
- 900 x 298 x 20/50mm Bonded Over-Lip

**NOTES**

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings. We recommend Mapei grout 114.




Scan for more information

PORCELAIN

# Rialto

This porcelain tile range features a contemporary stone effect with subtle layered slate characteristics and gentle tonal variation. Available in a light grey known as **Rialto Grigio**, and soft off-white **Rialto Crema**.



**RECOMMENDED FOR**

**External**

- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

**OPTION**

- Tiles
- Step Treads
- Coping

**FORMAT**

- R11 Grip Finish  
900 x 600 x 20mm
- 900 x 600 x 20mm Pencil Edge
- 900 x 298 x 20mm Bullnosed Edge
- 900 x 298 x 20/50mm Bonded Over-Lip

**NOTES**

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings. We recommend Mapei grout 103 for Crema and 112 for Grigio.



Scan for more information

PORCELAIN

# Dijon Grey

This grey stone-effect porcelain tile faithfully recreates the look of our well-known Egyptian Fossil Limestone, with soft fossil detailing, gentle tonal variation, and natural calcite veining that mirrors the character of the original stone.



**RECOMMENDED FOR**

- External
- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 112.



Scan for more information

PORCELAIN

# Dijon Pearl

This porcelain tile replicates our famously known Fossil Pearl Limestone, showcasing soft fossil detailing and natural calcite veining that echo's the distinctive character and elegance of the original stone.



**RECOMMENDED FOR**

- External
- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Step Treads	900 x 600 x 20mm Pencil Edge
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 132.



Scan for more information

PORCELAIN

# Compton Grey

A luxury pale grey porcelain with a refined marble-inspired look, featuring soft natural veining for a contemporary finish.



**RECOMMENDED FOR**

- External
- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	900 x 600 x 20mm
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip
Step Tread	900 x 600 x 20mm Pencil Edge

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 113.




Scan for more information

PORCELAIN

# Canford Cream

A beautifully soft light cream paving tile with a gentle mottled grain and subtle tonal movement, creating a warm, timeless look. Perfect for brightening patios and pool surrounds with effortless, natural elegance.



**RECOMMENDED FOR**

- External
- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 900 x 600 x 20mm
Coping	900 x 298 x 20mm Bullnosed Edge 900 x 298 x 20/50mm Bonded Over-Lip
Step Tread	900 x 600 x 20mm Pencil Edge

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 123.



Scan for more information

PORCELAIN

# Wilton Beige

Modern and timeless, this neutral beige concrete effect delivers a sleek outdoor look with minimal upkeep. Pair it with the Warm Decorative Décor Tile for a striking contrast that frames your patio beautifully and adds premium style.



Warm Décor Tile

#### RECOMMENDED FOR

- External
- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 600 x 600 x 20mm 600 x 600 x 20mm décor 1000 x 1000 x 20mm
Step Treads	600 x 600 x 20mm Pencil Edge
Coping	1000 x 498 x 20mm Bullnosed Edge 1000 x 498 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 132.




Scan for more information

PORCELAIN

# Sarum Grey

Modern and timeless, this grey concrete effect delivers a sleek outdoor look with minimal upkeep. Pair it with the Dark decorative Décor Tile for a striking contrast that frames your patio beautifully and adds premium style.



Dark Décor Tile

#### RECOMMENDED FOR

- External
- Paving
- Step Treads
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 600 x 600 x 20mm 600 x 600 x 20mm décor 1000 x 1000 x 20mm
Step Treads	600 x 600 x 20mm Pencil Edge
Coping	1000 x 498 x 20mm Bullnosed Edge 1000 x 498 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 112.




Scan for more information



PORCELAIN

# Namur

The Namur range is inspired by Belgian Blue stone, featuring subtle white fossil markings. **Namur Dark** offers a rich anthracite tone, while **Namur Light** has a softer ash grey finish – and they can be paired together for striking contrast detailing.




- RECOMMENDED FOR**
- External
  - Deck Level Grilles
  - Internal Flooring
  - Paving & Steps
  - Pool Copings
  - Pool Surrounds
  - Wall Capping
  - Wall Cladding

OPTION	FORMAT
Tiles	R11 Grip Finish 600 x 600 x 20mm
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip
Step Tread	600 x 600 x 20mm Pencil Edge

**NOTES**

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 112 for Light and 114 for Dark.





# Internal & External Porcelain



## PORCELAIN

# Cadiz Beige

Inspired by Jerusalem stone from Israel, this porcelain tile replicates fossil-rich limestone in a warm golden tone, delivering timeless character with durable, low-maintenance performance.



### RECOMMENDED FOR

**Internal**  
**External**

Internal Flooring  
Paving  
Steps  
Pool Copings  
Deck Level Grilles  
Wall Capping  
Wall Cladding  
Pool Tank Tiles



### OPTION

Tiles

Step Treads

Coping

### FORMAT

**R11 Grip Finish**  
906 x 604 x 20mm

**R10 Honed or R11 Grip Finish**  
906 x 604 x 9mm  
604 x 604 x 9mm

906 x 604 x 20mm Pencil Edge

906 x 300 x 20mm Bullnosed Edge  
900 x 300 x 20/50mm Bonded Over-Lip

### NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 123.



Scan for more information



Bridport Grey



Bridport Grey Pool Tank Tiles



Studland Beige copings


## PORCELAIN

# Jurassic

Inspired by fossilised Portuguese limestone, this porcelain range captures natural texture and subtle fossil detail. Available in **Portland Cream**, **Studland Beige**, and **Bridport Grey**, it offers a timeless elegant look.



Portland Cream



Bridport Grey



Portland Cream



Studland Beige

### RECOMMENDED FOR

**Internal**  
**External**

Internal Flooring  
Paving  
Steps  
Pool Copings  
Deck Level Grilles  
Wall Capping  
Wall Cladding  
Skirting Tiles  
Pool Tank Tiles

### OPTION

Tiles

Step Treads  
Coping

### FORMAT

**R11 Grip Finish**  
900 x 600 x 20mm

**R10 Honed or R11 Grip Finish**  
900 x 600 x 10mm  
600 x 600 x 10mm

**R10 Honed Finish**  
600 x 300 x 10mm

900 x 600 x 20mm Pencil Edge

900 x 298 x 20mm Bullnosed Edge  
900 x 298 x 20/50mm Bonded Over-Lip

### NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout 103 for Portland, 132 for Studland and 113 for Bridport.




Scan for more information


PORCELAIN

# Concrete

A sleek polished concrete-effect porcelain range, with subtle natural speckling for an authentic contemporary finish. Available in 3 colours, **White, Beige and Grey**.



White and Grey



**RECOMMENDED FOR**

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 1200 x 600 x 20mm 1000 x 1000 x 20mm 600 x 600 x 20mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
	<b>R10 Honed</b> 1200 x 600 x 10mm 1000 x 1000 x 10mm 600 x 300 x 10mm	
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip	We recommend Mapei grout: 132 for Beige 112 for Grey 123 for White
Step Tread	600 x 600 x 20mm Pencil Edge	



Scan for more information

PORCELAIN

# Travertine Vein

This porcelain range recreates the refined look of vein-cut travertine, with elegant linear veining and natural stone character. Available in **Bianco, Ivory, Beige, Greige** it combines timeless style with durable, low-maintenance porcelain.



Bianco

**RECOMMENDED FOR**

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 1200 x 600 x 20mm 900 x 600 x 20mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.
	<b>R10 Honed</b> 1200 x 600 x 10mm 900 x 600 x 10mm 600 x 300 x 10mm	
Step Treads	1200 x 600 x 20mm Pencil Edge	We recommend Mapei grout: 103 for Bianco 123 for Beige 112 for Greige 123 for Ivory
Coping	1200 x 298 x 20mm Bullnosed Edge 1200 x 298 x 20/50mm Bonded Over-Lip	



Scan for more information



Ivory



Greige



Beige

## PORCELAIN

# Travertine Cross

This porcelain tile range replicates the authentic look of cross-cut travertine, showcasing natural movement and classic stone character. Available in Bianco, Ivory Beige, and Greige.



Bianco



Beige

Bianco

Greige

Ivory

### RECOMMENDED FOR

Internal  
External

Internal Flooring  
Paving  
Steps  
Pool Copings  
Deck Level Grilles  
Wall Capping  
Wall Cladding  
Skirting Tiles  
Pool Tank Tiles

### OPTION

Tiles

### FORMAT

**R11 Grip Finish**  
1000 x 1000 x 20mm  
1200 x 600 x 20mm  
900 x 600 x 20mm  
600 x 600 x 20mm

**R10 Honed or R11 Grip Finish**  
1000 x 1000 x 10mm  
900 x 600 x 10mm

**R10 Honed Finish**  
1200 x 600 x 10mm  
600 x 600 x 10mm  
600 x 300 x 10mm

Step Treads

1200 x 600 x 20mm Pencil Edge

Coping

1200 x 298 x 20mm Bullnosed Edge  
1200 x 298 x 20/50mm Bonded Over-Lip

### NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches, fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout:  
103 for Bianco  
123 for Beige  
112 for Greige  
123 for Ivory



Scan for more information

PORCELAIN

# Wychwood



**RECOMMENDED FOR**

- Internal
- External
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT
Tiles	<p><b>R11 Grip Finish</b> 600 x 600 x 20mm</p> <p><b>R10 Honed or R11 Grip Finish</b> 1200 x 600 x 9mm 600 x 600 x 9mm 600 x 300 x 9mm</p> <p><b>R10 Honed Finish</b> 900 x 900 x 9mm</p>
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip
Step Treads	600 x 600 x 20mm Pencil Edge

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 132 for Bratton, 113 for Heddington, 123 for Lavington and Woodborough, and 112 for Westbury.




Scan for more information

PORCELAIN

# Roach

This porcelain tile collection is designed to replicate traditional English Portland limestone, featuring its dense fossilised characteristics in both the **Pearl** and **Grey** colour.



**RECOMMENDED FOR**

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT
Tiles	<p><b>R11 Grip Finish</b> 1200 x 600 x 20mm 1200 x 1200 x 9mm décor 1200 x 600 x 9mm décor</p> <p><b>R10 Honed or R11 Grip Finish</b> 1200 x 600 x 9mm 600 x 600 x 9mm 600 x 300 x 9mm</p> <p><b>R10 Honed Finish</b> 1200 x 1200 x 9mm</p>
Step Treads	1200 x 600 x 20mm Pencil Edge
Coping	1200 x 298 x 20mm Bullnosed Edge 1200 x 298 x 20/50mm Bonded Over-Lip

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  
We recommend Mapei grout 123 for Pearl and 112 for Grey.




Scan for more information



Cottonworth Ivory Paving, Bossington Beige Internal Floor Tiles



Houghton Grey Pool Tank Tiles



Meon Quartz Pool Tank Tiles

## PORCELAIN Quartzite


This porcelain tile collection is inspired by quartz-veined stone, featuring refined movement and elegant veining, offering versatile performance for internal spaces, external projects, and pool tank applications.




Bossington Beige




Cottonworth Ivory



Crawley Black



Houghton Grey



Meon Quartz



Meon Quartz

### RECOMMENDED FOR

Internal  
External

Internal Flooring  
Paving  
Steps  
Pool Copings  
Deck Level Grilles  
Wall Capping  
Wall Cladding  
Skirting Tiles  
Pool Tank Tiles

### OPTION

Tiles

Step Treads

Coping

### FORMAT

R11 Grip Finish

900 x 600 x 20mm

R10 Honed or R11 Grip Finish

1200 x 600 x 10mm

600 x 600 x 10mm

600 x 300 x 10mm

R10 Honed Finish

900 x 450 x 10mm

900 x 600 x 20mm Pencil Edge

900 x 298 x 20mm Bullnosed Edge

900 x 298 x 20/50mm Bonded Over-Lip

### NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

Bossington Beige available in 10mm only.

We recommend Mapei grout 132 for Bossington Beige, 123 for Cottonworth Ivory, 114 for Crawley Black, 112 for Houghton Grey and 113 for Meon Quartz.



Scan for more information



Waterford Cream



Caulfield Green Pool Tank Tiles



Waterford Cream

# PORCELAIN

## Dunes

This porcelain tile collection takes its inspiration from Burlington, the renowned English stone known for its distinctive blue-green tones, capturing its layered character with the durability and low-maintenance benefits of porcelain. Offering versatile performance for internal spaces, external projects and pool tank tiles.



Moonlight Grey



Caulfield Green

Mallow Dark



Moonlight Grey

Waterford Cream



Décor Tiles

### RECOMMENDED FOR

#### Internal & External

Internal Flooring, Paving, Steps, Pool Copings, Deck Level Grilles, Wall Capping & Cladding, Skirting Tiles, Pool Tank Tiles

#### OPTION

Tiles

#### FORMAT

- R11 Grip Finish**  
900 x 600 x 20mm
- R10 Honed or R11 Grip Finish**  
1200 x 600 x 10mm  
600 x 300 x 10mm  
900 x 150 décor
- R10 Honed Finish**  
900 x 450 x 10mm

#### Step Treads

900 x 600 x 20mm Pencil Edge

#### Coping

- 900 x 298 x 20mm Bullnosed Edge
- 900 x 298 x 20/50mm Bonded Over-Lip

#### NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.

We recommend Mapei grout:  
113 for Caulfield, 113 for Mallow,  
112 for Moonlight, 188 for Waterford  
Mallow Dark only available in 10mm.





Scan for more information

PORCELAIN

# Bavarian


This porcelain tile range is designed to replicate the look of Jura limestone, featuring pronounced fossil markings and enhanced natural detail, delivering bold stone character with durable, low-maintenance porcelain performance.



**RECOMMENDED FOR**

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 1200 x 600 x 20mm 600 x 600 x 20mm  <b>R10 Honed Finish</b> 1200 x 1200 x 10mm 1200 x 600 x 10mm 600 x 600 x 10mm 600 x 300 x 10mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  We recommend Mapei grout 112 for Hayes Grey, 132 for Ottobrunn Beige and 123 for Roth Pearl.
Step Treads	1200 x 600 x 20mm Pencil Edge	
Coping	600 x 298 x 20mm Bullnosed Edge 600 x 298 x 20/50mm Bonded Over-Lip	




Scan for more information

PORCELAIN

# Critchell


Inspired by traditional natural stone flagstones, capturing a rustic appearance with textured surfaces and natural tonal variation. Available in three colours, **Cashmoore**, **Charlbury** and **Hinton**.



**RECOMMENDED FOR**

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 906 x 604 x 20mm  <b>R10 Honed or R11 Grip Finish</b> 906 x 604 x 9mm 610 x 408 x 10mm Modular x 10mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  We recommend Mapei grout 188 for Cashmoore, 132 for Charlbury and 112 for Hinton.
Step Treads	906 x 604 x 20mm Pencil Edge	
Coping	906 x 300 x 20mm Bullnosed Edge 906 x 300 x 20/50mm Bonded Over-Lip	



Scan for more information

PORCELAIN

# Algarve

This porcelain tile range is inspired by minimalist French limestone, featuring soft tones and a clean, refined aesthetic that delivers understated elegance. Available in 4 colourways.



**RECOMMENDED FOR**  
**Internal & External**  
 Internal Flooring  
 Paving & Steps  
 Pool Copings  
 Deck Level Grilles  
 Wall Capping & Cladding  
 Skirting & Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 906 x 906 x 20mm 906 x 604 x 20mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  We recommend Mapei grout: 123 for Alvor 113 for Escuro 123 for Gordo 188 for Luze
	<b>R10 Honed or R11 Grip Finish</b> 906 x 906 x 10mm 906 x 604 x 10mm Modula x 10mm	
	<b>Step Treads</b> 906 x 604 x 20mm Pencil Edge	
<b>Coping</b>	906 x 300 x 20mm Bullnosed Edge 906 x 300 x 20/50mm Bonded Over-Lip	




Scan for more information

PORCELAIN

# Esna

This porcelain tile range is inspired by the well-known Egyptian Fossil Limestone, showcasing detailed, prominent fossil markings. Low maintenance yet advanced in design, it is available with a tumbled edge to replicate the real natural stone.



**RECOMMENDED FOR**  
**Internal & External**  
 Internal Flooring, Paving & Steps,  
 Pool Copings, Deck Level Grilles,  
 Wall Capping & Cladding,  
 Skirting Tiles, Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 1000 x 1000 x 20mm 900 x 600 x 20mm*	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  * Also available in Tumbled Edge Finish  We recommend Mapei grout 103 for Crema and 123 for Natural.
	<b>R10 Honed Finish</b> 1200 x 600 x 10mm 900 x 600 x 10mm* 600 x 600 x 10mm	
<b>Step Treads</b>	<b>Décor</b> 600 x 300 x 10mm 1200 x 600 x 10mm 1200 x 600 x 20mm Pencil Edge	
<b>Coping</b>	1200 x 298 x 20mm Bullnosed Edge 1200 x 298 x 20/50mm Bonded Over-Lip	



Scan for more information

PORCELAIN

# Riviera

This porcelain tile range is inspired by natural tumbled travertine, capturing soft edges and sun-washed character for a warm Mediterranean look. Available in soft ivory **Toulon** and warmer honey tones **Bordeaux**.



**RECOMMENDED FOR**  
**Internal & External**  
 Internal Flooring, Paving & Steps,  
 Pool Copings, Deck Level Grilles,  
 Wall Capping & Cladding,  
 Skirting Tiles, Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 900 x 600 x 20mm <b>R10 Honed or R11 Grip Finish</b> 900 x 600 x 10mm 600 x 600 x 10mm 600 x 300 x 10mm <b>R10 Honed Finish</b> 900 x 900 x 10mm <b>Décor Tiles</b> 300 x 75 x 10mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  We recommend Mapei grout 132 for Bordeaux and 123 for Toulon.
Step Treads	906 x 604 x 20mm Pencil Edge	
Coping	906 x 300 x 20mm Bullnosed Edge 906 x 300 x 20/50mm Bonded Over-Lip	



Scan for more information

PORCELAIN

# Elements

The Elements Porcelain range is inspired by traditional French limestone with a modern twist, combining clean stone aesthetics with textured decorative surfaces, making it ideal for both floors and striking feature walls.



**RECOMMENDED FOR**  
**Internal**  
**External**  
 Internal Flooring  
 Paving  
 Steps  
 Pool Copings  
 Deck Level Grilles  
 Wall Capping  
 Wall Cladding  
 Skirting Tiles  
 Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 1000 x 1000 x 20mm 1200 x 600 x 20mm 900 x 600 x 20mm* <b>R10 Honed Finish</b> 1000 x 1000 x 10mm 1200 x 600 x 10mm 900 x 600 x 10mm* 608 x 316 x 10mm	Traditional Walling available.  Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  *Also available in Tumbled Edge  We recommend Mapei grout 123 for Crema and 112 for Natural.
Step Treads	1200 x 600 x 20mm Pencil Edge	
Coping	1200 x 298 x 20mm Bullnosed Edge 1200 x 298 x 20/50mm Bonded Over-lip	



Scan for more information

PORCELAIN

# Nolton

This slate-inspired porcelain tile range features detailed natural markings and rich texture, available in three colours. Suitable for internal and external projects, it is ideal for flooring, walling, and pool tank applications.



**RECOMMENDED FOR**

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 1000 x 1000 x 20mm 900 x 600 x 20mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  We recommend Mapei grout 112 for Ocean, 132 for Sand and 123 for Shell.
	<b>R10 Honed Finish</b> 1000 x 1000 x 10mm 1200 x 600 x 10mm 608 x 316 x 10mm 600 x 600 x 10mm	
Step Treads	900 x 600 x 20mm Pencil Edge	
Coping	900 x 298 x 20mm Bullnosed Edge	
	900 x 298 x 20/50mm Bonded Over-lip	



Scan for more information

PORCELAIN

# Alba

Alba is slate-inspired porcelain range that offers a softer, more refined layered appearance, with gentle tonal variation and understated texture, delivering a contemporary stone look.



**RECOMMENDED FOR**

- Internal
- External
- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

OPTION	FORMAT	NOTES
Tiles	<b>R11 Grip Finish</b> 900 x 600 x 20mm 1000 x 1000 x 20mm	Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.  We recommend Mapei grout 123 for Cream and 103 for Light.  *Also available in Tumbled Edge
	<b>R10 Honed Finish</b> 1200 x 600 x 10mm 1000 x 1000 x 10mm 608 x 316 x 10mm 600 x 600 x 10mm*	
Step Treads	900 x 600 x 20mm Pencil Edge	
Coping	900 x 298 x 20mm Bullnosed Edge	
	900 x 298 x 20/50mm Bonded Over-lip	



Scan for more information



Gris



Anthracite




Marfil


## EXTRUDED PORCELAIN

# Exagres Ardenas

Extruded Porcelain unlike traditional printed Porcelain is formed by pushing a clay mixture through a die, which creates a continuous shape and print on the surface of the tile and edges. This material can give the appearance of a natural stone when used as a coping, due to the print being visible on the edge profile as well as the top surface of the tile.



Marfil



### RECOMMENDED FOR

Internal  
External

- Internal Flooring
- Paving
- Steps
- Pool Copings
- Deck Level Grilles
- Wall Capping
- Wall Cladding
- Skirting Tiles
- Pool Tank Tiles

### OPTION

Tiles

### FORMAT

- R11 Grip Finish  
1200 x 600 x 20mm
- R11 Grip or R10 Honed Finish  
1200 x 600 x 9mm
- 1200 x 1200 x 11mm
- 665 x 330 x 10mm

### NOTES

Please note batches will vary in colour, shade, texture and markings.  
We recommend Mapei grout:  
114 for Anthracite, 112 for Cromo,  
112 for Gris, 123 for Marfil

Coping

- 750 x 450 x 30mm Extruded Bullnosed
- 1200 x 330 x 11/30mm Extruded Over-Lip



Scan for more information



# Internal & Decorative Tiles



Taupe




Iron & White



Blue

# PORCELAIN Morenci



Green & Taupe

**RECOMMENDED FOR**  
Internal  
Wall Cladding  
Pool Tank Tiles

**OPTION**  
Tiles

**FORMAT**  
1200 x 600 x 10mm Silk  
600 x 300 x 10mm Silk

**NOTES**

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.



Scan for more information

PORCELAIN

# Qin



Cotto & Bone



Bone



Cotto



Earth

**RECOMMENDED FOR**

Internal  
Internal Flooring  
Wall Cladding  
Pool Tank Tiles  
Skirting Tiles

**OPTION**

Tiles

**FORMAT**

R10 Honed or R11 Grip Finish  
900 x 900 x 10mm  
1200 x 600 x 10mm  
600 x 600 x 10mm  
900 x 450 x 10mm  
600 x 300 x 10mm  
200 x 200 x 10mm

**NOTES**

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.



Scan for more information

PORCELAIN

# Selby




Beige




Grey



Beige



Grey



Mocha

**RECOMMENDED FOR**

Internal  
Internal Flooring  
Wall Capping  
Pool Tank Tiles

**OPTION**

Tiles

**FORMAT**

R10 Honed or R11 Grip Finish  
440 x 440 x 10mm  
440 x 220 x 10mm  
220 x 220 x 10mm  
220 x 110 x 10mm  
110 x 110 x 10mm

**NOTES**


Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information

PORCELAIN

# Kula Cross Cut



Tuscan



Silver



Silver



Tuscan



Walnut

### RECOMMENDED FOR

Internal

Internal Flooring  
Internal Walling  
Pool Tank Tiles

### OPTION

Tiles

### FORMAT

R10 Honed or R11 Grip Finish  
440 x 440 x 10mm  
440 x 220 x 10mm  
375 x 46 x 10mm  
110 x 110 x 10mm  
150 x 50 x 10mm

### NOTES

Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information

PORCELAIN


# Cristallo



Linen



Charcoal



Charcoal



Grey



Linen

### RECOMMENDED FOR

Internal

Internal Flooring  
Internal Walling  
Pool Tank Tiles

### OPTION

Tiles

### FORMAT

120 x 120 x 10mm Matt  
120 x 120 x 10mm Carved

### NOTES



Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information

PORCELAIN

# Kos



**RECOMMENDED FOR**  
Internal  
Internal Flooring  
Internal Walling

**OPTION**  
Tiles

**FORMAT**  
255 x 255 x 10mm Matt



**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information

PORCELAIN

# Lombok



**RECOMMENDED FOR**  
Internal  
Internal Flooring  
Wall Capping  
Pool Tank Tiles

**OPTION**  
Tiles

**FORMAT**  
R11 Grip or R10 Honed Finish  
110 x 110 x 10mm  
220 x 110 x 10mm  
110 x 110 x 10mm

**NOTES**  
Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading. Please note print batches will vary in colour shade and markings.



Scan for more information




Turques




Teal

# PORCELAIN

## Mochi



Olive



Biscuit

Honey

Indigo

Olive

Tan

Teal

Turques

White

**RECOMMENDED FOR**  
**Internal**  
 Wall Cladding

**OPTION**  
 Tiles

**FORMAT**  
 116 x 116 x 10mm Porcelain Body  
 125 x 250 x 10mm White Body Matt  
 125 x 250 x 10mm White Body Gloss

**NOTES**  
 Porcelain is made from refined clay fired at very high temperatures, creating a dense, durable and non-porous surface. It is resistant to stains, scratches fading, frost and moisture, making it a low maintenance option. Please note print batches will vary in colour shade and markings.



Scan for more information



Agave




Wine

# PORCELAIN Grafton

RECOMMENDED  
FOR  
Internal  
Internal Walling



Fossil



Agave

Azur

Forest

Fossil

Prusian

Swan

Umber

Wine



Azure

**OPTION**  
Tiles

**FORMAT**  
250 x 50 x 10mm gloss  
250 x 125 x 10mm gloss  
250 x 11 x 10mm Rounded Edge Gloss

**NOTES**  
This material is perfect for creating stunning feature walls in kitchens, bathrooms, and pool rooms. Its vibrant colours add lively accents and instantly brighten any space, transforming ordinary walls into eye-catching focal points.



Scan for more information



Fenn & Deep White




Mineral Grey & Talc



Fenn

# PORCELAIN Geo Bars

RECOMMENDED  
FOR  
Internal  
Internal Walling




Peacock Blue




Deep White



Earth




Ebony




Fenn




Greige



Mineral Grey



Peacock Blue



Royal Green



Talc

**OPTION**  
Tiles

**FORMAT**  
150 x 259 x 10mm  
150 x 259 x 10mm

**NOTES**

This material is perfect for creating stunning feature walls in kitchens, bathrooms, and pool rooms. Its vibrant colours add lively accents and instantly brighten any space, transforming ordinary walls into eye-catching focal points.



Scan for more information



River Plus




Meadow Plus



Meadow

PORCELAIN

# Moments Proto



RECOMMENDED FOR  
Internal  
Wall Cladding  
Internal Flooring



Bianco




Meadow



Meadow Plus



Mono



River



River Plus

OPTION  
Tiles

FORMAT  
280 x 280 x 10mm Matt

NOTES

These tiles are perfect for bathrooms, kitchens, utility rooms, and decorative feature areas—bringing a touch of modern charm with a classic patterned twist. Please note colour textures and markings will vary.



Scan for more information



Meadow



Mono Plus



Mono

PORCELAIN

# Moments Proto 2



Bianco

Daisy

Dew

Meadow

Mono

Mono Plus

River

**RECOMMENDED FOR**  
**Internal**  
 Wall Cladding, Flooring

**OPTION**  
 Tiles

**FORMAT**  
 280 x 280 x 10mm Matt

**NOTES**


These tiles are perfect for bathrooms, kitchens, utility rooms, and decorative feature areas—bringing a touch of modern charm with a classic patterned twist. Please note colour textures and markings will vary.



Scan for more information

# Bespoke

We've invested heavily over the years in state-of-the-art machinery. What began with a single 5-axis bridge saw has grown into a fully equipped factory with two waterjets, three edge polishers, a porcelain dual cutter, a sanding booth and specialist hand-profiling equipment. We also operate our own recycling centre, complete with a stone crusher, tumbling machine and full water-recycling plant.




With this blend of advanced technology and expert craftsmanship, we can bring virtually any design to life – and often even more than clients imagine.

# Bespoke Grille Options

## 2 SLOT MONO GRILLE


The 2 Slot Mono Grille is a one-piece grille system with a removable grille section, offering the visual appearance of a three-piece module while providing the strength and stability of an integrated under-frame and a unique anti-rocking grille design. As a one-piece unit, it is significantly easier to install, allowing the grille to be laid as a single module rather than requiring the individual levelling of the Coping, Grille and Outlane stone.

This creates a refined, practical, and robust solution for both indoor and outdoor deck-level pools.



With Grille

Without Grille





## LINEAR GRID GRILLE – PORCELAIN

The Linear Grid Grille is a contemporary porcelain alternative to traditional Astral and Certikin plastic grilles, offering a clean, modern aesthetic. Manufactured from 20mm thick porcelain, it can be supplied as a standalone porcelain grille or, where additional structural support is required, reinforced with a stainless-steel backing.

Available in our full range of 20mm grip porcelain finishes, the grille can seamlessly match or complement any surrounding porcelain surface.



# Stair Cases & Steps



Both the Mono Grille and Linear Lid Grille are manufactured to order in-house and are available across our full range of 20mm grip porcelain finishes.

# Site Template Service

Our Site Template Service is designed to remove guesswork from complex installations. Using our extensive building knowledge and the latest digital technology, we deliver components that fit perfectly – even in the most challenging environments.


We attend site with our advanced digital laser measuring equipment to capture precise measurements of freeform swimming pools, irregular walling, and other non-standard shapes. This technology allows us to accurately record complex curves, angles, and variations that traditional measuring methods simply can't achieve.

The captured data is then taken back to our office, where it is converted into a detailed CAD drawing. This drawing forms the exact cutting path for our state-of-the-art waterjet cutting machine, ensuring every piece is cut with exceptional accuracy to suit its specific application.




Before cutting begins, a full drawing is sent to you for approval, giving complete confidence that everything is correct. Once approved, each component is precision-cut, carefully numbered, and prepared for dispatch.

Your order is delivered with a detailed numbered layout plan, allowing every piece to fit together seamlessly – just like a puzzle – for faster installation, reduced waste, and a flawless finished result.




# Technical Coping Diagrams

**BULLNOSE COPING**




20mm

**BULLNOSE GRADINO COPING**




20mm

**PENCIL EDGE COPING**




20mm

**DROP EDGE COPING**




20mm

**INSPECTION COVERS**




20mm

**INTERNAL CORNER MITRED**




20mm

**INTERNAL CORNER 6" RADIUS 50P**






20mm


**MODULA PACK LAYING PATTERN**




# Technical Coping Diagrams



4ft Roman End Bay  
(Country Leisure 10ft Roman End Bay)




5ft Low Profile Roman End Bay  
(Country Leisure 12ft Roman End Bay)




5ft Roman End Bay  
\*Finished wall to wall measurements

# Laying Guidelines

Coping installation for tiled or liner pool



Coping installation for a fibreglass one piece pool



# Laying Guidelines - External

The following guidance is provided by Cranbourne Stone for general information purposes only.

## GENERAL PREPARATION

All porcelain paving should be solid bedded to ensure full support across the entire slab. Spot bedding or dot-and-dab methods should be avoided, as they may lead to staining, reduced performance, or failure. Bedding depths, falls, and construction details may vary depending on application, ground conditions, and load requirements. Installers must always follow current British Standards, manufacturer recommendations, and recognised codes of practice.

## CUTTING & LEVELLING

Tiles should be cut using a suitable diamond blade, ideally with water cooling. Tiles should be levelled and may be gently tapped into place using a rubber mallet.

## SUBSTRATE PREPARATION & INSTALLATION METHODS

External porcelain paving may be installed using one of the following methods, depending on site conditions and project requirements:

### Option 1 - Screed-Based Installation

Where external works continue from internal tiling, a structural concrete screed should be installed in accordance with current standards and formed with appropriate falls for drainage. Tiles may then be fixed using a flexible, exterior-grade thick-bed tile adhesive. Expansion joints should be incorporated in line with current standards and filled with a suitable exterior-grade sealant.

### Option 2 - Traditional Slab Installation

For slab style installations 100/150mm well compacted hard core or MOT type 1 stone should be laid to suit ground conditions and anticipated loads. Falls should be formed to allow efficient drainage. The slabs should have a porcelain primer applied to the back of the slab and whilst still wet, laid on a full mortar bed, typically 30-50mm thick using a suitable sand and cement mix in accordance with relevant standards.

---

## IMPORTANT NOTE

Cranbourne Stone supplies materials only and accepts no responsibility or liability for the installation, laying, or workmanship of any paving products. All installation works must be carried out by a **qualified and competent installer**, and responsibility for correct preparation, installation, and compliance with all relevant standards rests solely with the installer and/or contractor.

# Laying Guidelines - Internal

*(Including Underfloor Heating)*

All tiles must be installed on a sound, flat, and stable substrate using a full adhesive bed; spot fixing or dot-and-dab methods should not be used. Substrate preparation, adhesive selection, bed depths, and joint widths will vary depending on site conditions, and installers must always follow current British Standards, manufacturer instructions, and recognised codes of practice.

Tiles should be cut using a suitable diamond blade, ideally water-cooled. Thin tiles should be levelled by hand, with thicker tiles adjusted using a rubber mallet if required.

Tiles may be installed onto a fully cured concrete screed using a flexible, cement-based adhesive, or onto timber or boarded floors where a suitable tile backer board or uncoupling membrane has been correctly installed. Movement joints must be incorporated in accordance with current standards and at changes of plane.

## UNDERFLOOR HEATING

Underfloor heating systems must be fully installed, tested, and switched off prior to tiling. Only flexible adhesives and grouts suitable for use with underfloor heating should be used. Heating should be recommissioned gradually after installation in accordance with the system manufacturer's guidance.

---

## IMPORTANT NOTE

Cranbourne Stone supplies materials only and accepts no responsibility or liability for installation or workmanship. All tiling must be carried out by a **qualified and competent installer**, who is responsible for correct preparation, installation, and compliance with all relevant standards.

# Cleaning & Maintenance



## STEP 1 PRE-GROUT PROTECTION



A water based pre-grout treatment. Protects surfaces against staining from cement, grout, jointing material and organic matter. For use on all types of textured porcelain tiles surfaces. Helps with grout and jointing compound release. A further coat can be applied after grouting, which helps with the future removal of stains from organic matter.

- Non hazardous
- High performance
- Low odour VOC free
- Invisible protection
- Easy to apply
- Breathable
- Quick drying
- UV Resistant

APPLICATION	1 LITRE	5 LITRE
Low porosity surfaces	30m <sup>2</sup> per bottle	150m <sup>2</sup> per bottle

## STEP 2 AFTERCARE – CLEANING



**Intensive Cleaner**  
For cleaning all types of porcelain and ceramic products, removing ground dirt and grime.

- Non hazardous
- High performance
- Low odour VOC free
- Invisible protection
- Easy to apply
- Breathable
- Quick drying
- UV Resistant

APPLICATION	1 LITRE	5 LITRE
Mild Cases	50m <sup>2</sup> per bottle	250m <sup>2</sup> per bottle
Severe Cases	20m <sup>2</sup> per bottle	100m <sup>2</sup> per bottle
In Extreme Cases	5-10m <sup>2</sup> per bottle	25-50m <sup>2</sup> per bottle

Working in partnership with Mapei, we supply a full range of Mapei fixing products specifically selected for the installation of our natural stone and porcelain materials.

This collaboration ensures that every installation benefits from compatible materials, proven systems, and shared technical expertise, delivering long-lasting performance, durability, and compliance with best practice.

### A TRUSTED PARTNERSHIP & 10-YEAR MAPEI WARRANTY

Through our partnership with Mapei, you can benefit from a **10-year Mapei warranty** when your project is:

- Assessed by a **Mapei technical representative** in collaboration with Cranborne Stone
- Installed in full accordance with the **approved Mapei specification and system**

Following the approved specification gives you added peace of mind that your installation meets the highest technical standards.

### JOINT PROJECT REGISTRATION & TECHNICAL SUPPORT

If you would like to register a project with us, **Cranborne Stone and Mapei work together** to provide joined-up technical support. A **Mapei representative can attend site** to:

- Assess the project requirements
- Specify the correct **fixing materials and installation system**
- Provide a **full written specification** required to obtain the 10-year warranty

This service ensures that every element of the installation is technically correct from the outset.

### WHY DESIGNERS & CONTRACTORS CHOOSE CRANBOURNE STONE & MAPEI

#### Technical Assurance

A coordinated approach between Cranborne Stone and Mapei, including on-site assessment and system specification by a Mapei technical representative.

#### Reduced Risk

Materials and fixing systems are specified together, reducing incompatibility issues and helping protect the finished installation.

#### 10-Year Warranty Protection

Projects installed to the approved joint specification can qualify for a Mapei-backed 10-year warranty, giving confidence to designers, contractors, and clients alike.

#### Trusted Industry Partnership

Cranborne Stone's premium materials, supported by Mapei's globally trusted fixing systems, provide a complete and dependable installation solution.

### REGISTER YOUR PROJECT

To start your **10-year warranty programme**, simply scan the QR code to register your project.

Once registered, a Mapei representative will be arranged to support your project and provide the required specification.



Register today and install with confidence using Mapei-approved systems

continued...

Our Mapei product recommendations, continued...

GROUT

Ultra Colour Plus

The following colours are stocked, other colours can be ordered in.



-  123 Ancient White
-  103 Moon White
-  118 Biscuit
-  132 Beige
-  114 Anthracite
-  113 Cement Grey
-  112 Medium Grey

ADHESIVE FOR EXTERNAL APPLICATION

Keraquick S1

Can be used with either natural stone or porcelain.



EPOXY GROUT

Kerapoxy Easy Design

We also advise the Kerapoxy Cleaner to go with this for residue. Can be ordered in all colours.



ADHESIVE FOR INTERNAL APPLICATION

Keraquick S1 or Keraflex Maxi

Can be used with either natural stone or porcelain and over underfloor heating.



ADHESIVE FOR POOL TANK TILES

Adesilex P10

For mosaics

Keraquick S1 or Keraflex Maxi

For large format tiles



TANKING MEMBRANE FOR INTERNAL POOL TANK

Mapelastic Zero, Mapeband Easy & Mapnet 150 System



DECOUPLING MEMBRANES

Mapeguard UM35 and WP200 (for tanking)



GENERAL SLURRY

Eporip Resin

For internal pools

Plaincrete

For external pools



SILICONE

Mapesil LM

For natural stone

Mapesil AC

For porcelain

Primer Seal M

For inside joints



